





**CHUAN CHU**

**模具(冷、熱)流體連結系統**

MOLD(COLD AND HOT) FLOW CONNECTING SYSTEM

Effective • Reliable • Professional






## 不銹鋼分流控制器一示意圖

SUS Water Manifold 3 in 3 out ~12 in 12 out


特性：

1. 增加模具吹氣功能
2. 不銹鋼本體，容量加大，使用壽命更長
3. 3出3入~12出12入樣式齊全

1. Additional Mold blowing function
2. SUS body has high volume and being more durable.
3. Full range through 3 in 3 out to 12 in 12 out




## 不銹鋼分流控制器一尺寸圖



|                       | A   | B       | C 主流管<br>Inlet / outlet | D 固定孔位<br>Install spot | E 螺絲孔<br>(Bolt) |
|-----------------------|-----|---------|-------------------------|------------------------|-----------------|
| 3 出 3 入 (3 in/out)    | 275 | 1/2" PT | 1/2" PT                 | 135                    | φ 11.0          |
| 4 出 4 入 (4 in/out)    | 365 | 1/2" PT | 3/4" PT                 | 185                    | φ 11.0          |
| 5 出 5 入 (5 in/out)    | 455 | 1/2" PT | 3/4" PT                 | 275                    | φ 11.0          |
| 6 出 6 入 (6 in/out)    | 545 | 1/2" PT | 1" PT                   | 275                    | φ 11.0          |
| 7 出 7 入 (7 in/out)    | 635 | 1/2" PT | 1" PT                   | 315                    | φ 11.0          |
| 8 出 8 入 (8 in/out)    | 715 | 1/2" PT | 1" PT                   | 375                    | φ 11.0          |
| 10 出 10 入 (10 in/out) | 499 | 1/2" PT | 1" PT                   | 525                    | φ 11.0          |
| 12 出 12 入 (12 in/out) | 589 | 1/2" PT | 1" PT                   | 615                    | φ 11.0          |


單位(M'nt) : mm






| 型號<br>Item No.       | 支流管接法<br>Branch Connecting | 模具進氣<br>Aie Inlet | 流通數目        | 備註<br>Remarks |
|----------------------|----------------------------|-------------------|-------------|---------------|
| HV103~HV1012         | JK201快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 |               |
| HV203~HV2012         | $\frac{3}{8}$ " 插管接頭       | φ 10PU膠管          | 3出3入~12出12入 |               |
| HV303~HV3012         | $\frac{1}{4}$ " PT內牙外加接頭   | φ 10PU膠管          | 3出3入~12出12入 |               |
| FV103~FV1012         | BK301快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 |               |
| FV203~FV2012         | $\frac{1}{2}$ " 插管接頭       | φ 10PU膠管          | 3出3入~12出12入 |               |
| FV303~FV3012         | $\frac{3}{8}$ " PT內牙外加接頭   | φ 10PU膠管          | 3出3入~12出12入 |               |
| STV103-H~STV1012-H   | JK201快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型           |
| STV103-F~STV1012-F   | BK301快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型           |
| STV303~STV3012       | $\frac{3}{8}$ " PT內牙外加接頭   | φ 10PU膠管          | 3出3入~12出12入 | 透視型           |
| SKV103-H~SKV1012-H   | JK201快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶       |
| SKV103-F~SKV1012-F   | BK301快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶       |
| SKV303~SKV3012       | $\frac{3}{8}$ " PT內牙外加接頭   | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶       |
| SKVC103-H~SKVC1012-H | JK201快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶、壓力錶   |
| SKVC103-F~SKVC1012-F | BK301快速母接頭                 | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶、壓力錶   |
| SKVC303~SKVC3012     | $\frac{3}{8}$ " PT內牙外加接頭   | φ 10PU膠管          | 3出3入~12出12入 | 透視型、溫度錶、壓力錶   |






| 型 號<br>Item No. | 主流管尺寸 Main Inlet / Outlet size |                         | 支流管接法<br>Branch Connecting     | 模具進氣<br>Aie Inlet    | 餘水排出<br>Drainage Outlet | 備註<br>Remarks                |
|-----------------|--------------------------------|-------------------------|--------------------------------|----------------------|-------------------------|------------------------------|
|                 | 冷凍水<br>iced water              | 冷卻水<br>cooling water    |                                |                      |                         |                              |
| F 420-01H       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | JK 201 快速母接頭 201 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| F 420-01F       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | BK 301 快速母接頭 301 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| F 420-02        | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | 插管接頭 Hose-barb Connector       | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| F 420-03        | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | AB, PB, PU-1, PU-2, H1, DE     | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| FK 420-01H      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | JK 201 快速母接頭 201 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| FK 420-01F      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | BK 301 快速母接頭 301 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| FK 420-02       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | 插管接頭 Hose-barb Connector       | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| FK 420-03       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | AB, PB, PU-1, PU-2, H1, DE     | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| ST 420-01H      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | JK 201 快速母接頭 201 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| ST 420-01F      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | BK 301 快速母接頭 301 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| ST 420-02       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | 插管接頭 Hose-barb Connector       | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| ST 420-03       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | AB, PB, PU-1, PU-2, H1, DE     | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose |                              |
| SK 420-01H      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | JK 201 快速母接頭 201 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| SK 420-01F      | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | BK 301 快速母接頭 301 Quick Coupler | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| SK 420-02       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | 插管接頭 Hose-barb Connector       | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |
| SK 420-03       | $\frac{3}{4}$ " 膠管 Hose        | $\frac{3}{4}$ " 膠管 Hose | AB, PB, PU-1, PU-2, H1, DE     | $\phi 10$ PU 膠管 Hose | $\frac{1}{2}$ " 膠管 Hose | 附溫度錶<br>Thermometer Attached |




尺寸外觀 Dimension





頂選頭接管流女





| 型號<br>Item No. | 主流管尺寸 Main Inlet / Outlet size |                      | 支流管接法<br>Branch Connecting     | 模具進氣<br>Aie Inlet | 餘水排出<br>Drainage Outlet | 備註<br>Remarks                |
|----------------|--------------------------------|----------------------|--------------------------------|-------------------|-------------------------|------------------------------|
|                | 冷凍水<br>iced water              | 冷卻水<br>cooling water |                                |                   |                         |                              |
| F820-01H       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | JK 201 快速母接頭 201 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| F820-01F       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | BK 301 快速母接頭 301 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| F820-02        | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | 插管接頭 Hose-barb Connector       | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| F820-03        | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | AB, PB, PU-1, PU-2, H1, DE     | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| FK820-01H      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | JK 201 快速母接頭 201 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| FK820-01F      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | BK 301 快速母接頭 301 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| FK820-02       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | 插管接頭 Hose-barb Connector       | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| FK820-03       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | AB, PB, PU-1, PU-2, H1, DE     | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| ST820-01H      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | JK 201 快速母接頭 201 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| ST820-01F      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | BK 301 快速母接頭 301 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| ST820-02       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | 插管接頭 Hose-barb Connector       | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| ST820-03       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | AB, PB, PU-1, PU-2, H1, DE     | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            |                              |
| SK820-01H      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | JK 201 快速母接頭 201 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| SK820-01F      | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | BK 301 快速母接頭 301 Quick Coupler | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| SK820-02       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | 插管接頭 Hose-barb Connector       | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |
| SK820-03       | 1" 膠管 Hose                     | 3/4" 膠管 Hose         | AB, PB, PU-1, PU-2, H1, DE     | φ 10 PU 膠管 Hose   | 1/2" 膠管 Hose            | 附溫度錶<br>Thermometer Attached |

Option for Tributary Tube Connector




尺寸外觀

Dimension











## 全不鏽鋼多孔分流控制器(訂製品)

全不鏽鋼多孔分流控制器樣式及流通數可依客戶需求訂製  
Customized SUS Manifold outline and number of Ports can be made  
in accordance with customer's requirement and design



訂製參考樣式







分流器本體尺寸圖  
(Manifold Body Specification)

8出8入




增孔接頭 (Additional Connector)

12出12入








► 特點 (Features) :

|      |                         |
|------|-------------------------|
| 液體監測 | (Liquid monitoring)     |
| 流量控制 | (Flow control)          |
| 流量指示 | (Flow indicating)       |
| 溫度感應 | (Temperature measuring) |
| 防止逆流 | (Prevent reverse flow)  |

► 訂購時請註明此欄內客戶所需要之接頭名稱、以便本公司裝配  
Please confirm the type of branch connector before ordering








## SK全功能透視型分流控制器規格表

### SPECIFICATION OF SK TYPE WATER MANIFOLD

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            | 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|---------------|----------------------------|-------------------------------|--------------------------|
| SK102-H       | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 2出2入<br>2 IN / 2 OUT     | SK102-F       | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 2出2入<br>2 IN / 2 OUT     |
| SK103-H       | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 3出3入<br>3 IN / 3 OUT     | SK103-F       | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 3出3入<br>3 IN / 3 OUT     |
| SK103-H2      | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 3出3入+2<br>3 IN / 3 OUT+2 | SK103-F2      | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 3出3入+2<br>3 IN / 3 OUT+2 |
| SK104-H       | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 4出4入<br>4 IN / 4 OUT     | SK104-F       | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 4出4入<br>4 IN / 4 OUT     |
| SK104-H2      | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 4出4入+2<br>4 IN / 4 OUT+2 | SK104-F2      | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 4出4入+2<br>4 IN / 4 OUT+2 |
| SK105-H       | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 5出5入<br>5 IN / 5 OUT     | SK105-F       | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 5出5入<br>5 IN / 5 OUT     |
| SK105-H2      | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 5出5入+2<br>5 IN / 5 OUT+2 | SK105-F2      | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 5出5入+2<br>5 IN / 5 OUT+2 |
| SK106-H       | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 6出6入<br>6 IN / 6 OUT     | SK106-F       | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 6出6入<br>6 IN / 6 OUT     |
| SK106-H2      | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 6出6入+2<br>6 IN / 6 OUT+2 | SK106-F2      | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 6出6入+2<br>6 IN / 6 OUT+2 |
| SK107-H       | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 7出7入<br>7 IN / 7 OUT     | SK107-F       | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 7出7入<br>7 IN / 7 OUT     |
| SK107-H2      | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 7出7入+2<br>7 IN / 7 OUT+2 | SK107-F2      | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 7出7入+2<br>7 IN / 7 OUT+2 |
| SK108-H       | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 8出8入<br>8 IN / 8 OUT     | SK108-F       | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 8出8入<br>8 IN / 8 OUT     |
| SK108-H2      | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 8出8入+2<br>8 IN / 8 OUT+2 | SK108-F2      | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 8出8入+2<br>8 IN / 8 OUT+2 |
| SK1010-H      | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 10出10入<br>10 IN / 10 OUT | SK1010-F      | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 10出10入<br>10 IN / 10 OUT |
| SK1012-H      | 1", 1 1/4" 膠管(HOSE)        | JK201快速(QUICK)                | 12出12入<br>12 IN / 12 OUT | SK1012-F      | 1", 1 1/4" 膠管(HOSE)        | BK301快速(QUICK)                | 12出12入<br>12 IN / 12 OUT |
| SK202         | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 2出2入<br>2 IN / 2 OUT     | SK302         | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2            | 2出2入<br>2 IN / 2 OUT     |
| SK203         | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 3出3入<br>3 IN / 3 OUT     | SK303         | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2,H1         | 3出3入<br>3 IN / 3 OUT     |
| SK203-2       | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 3出3入+2<br>3 IN / 3 OUT+2 | SK303-2       | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2,H1         | 3出3入+2<br>3 IN / 3 OUT+2 |
| SK204         | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 4出4入<br>4 IN / 4 OUT     | SK304         | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 4出4入<br>4 IN / 4 OUT     |
| SK204-2       | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 4出4入+2<br>4 IN / 4 OUT+2 | SK304-2       | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 4出4入+2<br>4 IN / 4 OUT+2 |
| SK205         | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 5出5入<br>5 IN / 5 OUT     | SK305         | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 5出5入<br>5 IN / 5 OUT     |
| SK205-2       | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 5出5入+2<br>5 IN / 5 OUT+2 | SK305-2       | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 5出5入+2<br>5 IN / 5 OUT+2 |
| SK206         | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 6出6入<br>6 IN / 6 OUT     | SK306         | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 6出6入<br>6 IN / 6 OUT     |
| SK206-2       | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 6出6入+2<br>6 IN / 6 OUT+2 | SK306-2       | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 6出6入+2<br>6 IN / 6 OUT+2 |
| SK207         | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 7出7入<br>7 IN / 7 OUT     | SK307         | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 7出7入<br>7 IN / 7 OUT     |
| SK207-2       | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 7出7入+2<br>7 IN / 7 OUT+2 | SK307-2       | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 7出7入+2<br>7 IN / 7 OUT+2 |
| SK208         | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 8出8入<br>8 IN / 8 OUT     | SK308         | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 8出8入<br>8 IN / 8 OUT     |
| SK208-2       | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 8出8入+2<br>8 IN / 8 OUT+2 | SK308-2       | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 8出8入+2<br>8 IN / 8 OUT+2 |
| SK2010        | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 10出10入<br>10 IN / 10 OUT | SK3010        | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 10出10入<br>10 IN / 10 OUT |
| SK2012        | 1", 1 1/4" 膠管(HOSE)        | 插管接頭<br>PLUG CONNERTOR        | 12出12入<br>12 IN / 12 OUT | SK3012        | 1", 1 1/4" 膠管(HOSE)        | AB,PB<br>PU-1,PU-2,H1         | 12出12入<br>12 IN / 12 OUT |






▶ 特點 (Features) :

|      |                        |
|------|------------------------|
| 液體監測 | (Liquid monitoring)    |
| 流量控制 | (Flow control)         |
| 流量指示 | (Flow indicating)      |
| 防止逆流 | (Prevent reverse flow) |

▶ 訂購時請註明此欄內客戶所需要之接頭名稱、以便本公司裝配  
Please confirm the type of branch connector before ordering









## ST透視型分流控制器規格表

### SPECIFICATION OF ST TYPE WATER MANIFOLD

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            | 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|---------------|----------------------------|-------------------------------|--------------------------|
| ST102-H       | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 2出2入<br>2 IN / 2 OUT     | ST102-F       | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 2出2入<br>2 IN / 2 OUT     |
| ST103-H       | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 3出3入<br>3 IN / 3 OUT     | ST103-F       | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 3出3入<br>3 IN / 3 OUT     |
| ST103-H2      | 3/4"膠管(HOSE)               | JK201快速(QUICK)                | 3出3入+2<br>3 IN / 3 OUT+2 | ST103-F2      | 3/4"膠管(HOSE)               | BK301快速(QUICK)                | 3出3入+2<br>3 IN / 3 OUT+2 |
| ST104-H       | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 4出4入<br>4 IN / 4 OUT     | ST104-F       | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 4出4入<br>4 IN / 4 OUT     |
| ST104-H2      | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 4出4入+2<br>4 IN / 4 OUT+2 | ST104-F2      | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 4出4入+2<br>4 IN / 4 OUT+2 |
| ST105-H       | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 5出5入<br>5 IN / 5 OUT     | ST105-F       | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 5出5入<br>5 IN / 5 OUT     |
| ST105-H2      | 3/4",1"膠管(HOSE)            | JK201快速(QUICK)                | 5出5入+2<br>5 IN / 5 OUT+2 | ST105-F2      | 3/4",1"膠管(HOSE)            | BK301快速(QUICK)                | 5出5入+2<br>5 IN / 5 OUT+2 |
| ST106-H       | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 6出6入<br>6 IN / 6 OUT     | ST106-F       | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 6出6入<br>6 IN / 6 OUT     |
| ST106-H2      | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 6出6入+2<br>6 IN / 6 OUT+2 | ST106-F2      | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 6出6入+2<br>6 IN / 6 OUT+2 |
| ST107-H       | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 7出7入<br>7 IN / 7 OUT     | ST107-F       | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 7出7入<br>7 IN / 7 OUT     |
| ST107-H2      | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 7出7入+2<br>7 IN / 7 OUT+2 | ST107-F2      | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 7出7入+2<br>7 IN / 7 OUT+2 |
| ST108-H       | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 8出8入<br>8 IN / 8 OUT     | ST108-F       | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 8出8入<br>8 IN / 8 OUT     |
| ST108-H2      | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 8出8入+2<br>8 IN / 8 OUT+2 | ST108-F2      | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 8出8入+2<br>8 IN / 8 OUT+2 |
| ST1010-H      | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 10出10入<br>10 IN / 10 OUT | ST1010-F      | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 10出10入<br>10 IN / 10 OUT |
| ST1012-H      | 1",1 1/4"膠管(HOSE)          | JK201快速(QUICK)                | 12出12入<br>12 IN / 12 OUT | ST1012-F      | 1",1 1/4"膠管(HOSE)          | BK301快速(QUICK)                | 12出12入<br>12 IN / 12 OUT |
| ST202         | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 2出2入<br>2 IN / 2 OUT     | ST302         | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2,H1         | 2出2入<br>2 IN / 2 OUT     |
| ST203         | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 3出3入<br>3 IN / 3 OUT     | ST303         | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2,H1         | 3出3入<br>3 IN / 3 OUT     |
| ST203-2       | 3/4"膠管(HOSE)               | 插管接頭<br>PLUG CONNERTOR        | 3出3入+2<br>3 IN / 3 OUT+2 | ST303-2       | 3/4"膠管(HOSE)               | AB,PB<br>PU-1,PU-2,H1         | 3出3入+2<br>3 IN / 3 OUT+2 |
| ST204         | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 4出4入<br>4 IN / 4 OUT     | ST304         | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 4出4入<br>4 IN / 4 OUT     |
| ST204-2       | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 4出4入+2<br>4 IN / 4 OUT+2 | ST304-2       | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 4出4入+2<br>4 IN / 4 OUT+2 |
| ST205         | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 5出5入<br>5 IN / 5 OUT     | ST305         | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 5出5入<br>5 IN / 5 OUT     |
| ST205-2       | 3/4",1"膠管(HOSE)            | 插管接頭<br>PLUG CONNERTOR        | 5出5入+2<br>5 IN / 5 OUT+2 | ST305-2       | 3/4",1"膠管(HOSE)            | AB,PB<br>PU-1,PU-2,H1         | 5出5入+2<br>5 IN / 5 OUT+2 |
| ST206         | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 6出6入<br>6 IN / 6 OUT     | ST306         | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 6出6入<br>6 IN / 6 OUT     |
| ST206-2       | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 6出6入+2<br>6 IN / 6 OUT+2 | ST306-2       | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 6出6入+2<br>6 IN / 6 OUT+2 |
| ST207         | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 7出7入<br>7 IN / 7 OUT     | ST307         | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 7出7入<br>7 IN / 7 OUT     |
| ST207-2       | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 7出7入+2<br>7 IN / 7 OUT+2 | ST307-2       | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 7出7入+2<br>7 IN / 7 OUT+2 |
| ST208         | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 8出8入<br>8 IN / 8 OUT     | ST308         | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 8出8入<br>8 IN / 8 OUT     |
| ST208-2       | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 8出8入+2<br>8 IN / 8 OUT+2 | ST308-2       | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 8出8入+2<br>8 IN / 8 OUT+2 |
| ST2010        | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 10出10入<br>10 IN / 10 OUT | ST3010        | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 10出10入<br>10 IN / 10 OUT |
| ST2012        | 1",1 1/4"膠管(HOSE)          | 插管接頭<br>PLUG CONNERTOR        | 12出12入<br>12 IN / 12 OUT | ST3012        | 1",1 1/4"膠管(HOSE)          | AB,PB<br>PU-1,PU-2,H1         | 12出12入<br>12 IN / 12 OUT |






如需多此2通，請於  
圖型號後面加"B"，  
如圖H303-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO,  
AS SHOWN IN PICTURE  
H303-B.

PU-1  
PU-2  
H-1  
AB

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| H302          | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 2出2入<br>2 IN / 2 OUT     |
| H303-A        | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 3出3入<br>3 IN / 3 OUT     |
| H303-B        | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 3出3入+2<br>3 IN / 3 OUT+2 |
| H304-A        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 4出4入<br>4 IN / 4 OUT     |
| H304-B        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 4出4入+2<br>4 IN / 4 OUT+2 |
| H305-A        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 5出5入<br>5 IN / 5 OUT     |
| H305-B        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 5出5入+2<br>5 IN / 5 OUT+2 |
| H306-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 6出6入<br>6 IN / 6 OUT     |
| H306-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 6出6入+2<br>6 IN / 6 OUT+2 |
| H307-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 7出7入<br>7 IN / 7 OUT     |
| H307-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 7出7入+2<br>7 IN / 7 OUT+2 |
| H308-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 8出8入<br>8 IN / 8 OUT     |
| H308-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 8出8入+2<br>8 IN / 8 OUT+2 |
| H3010         | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 10出10入<br>10 IN / 10 OUT |
| H3012         | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 12出12入<br>12 IN / 12 OUT |







如需多此2通，請於  
圖型號後面加"B"，  
如圖F303-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO,  
AS SHOWN IN PICTURE  
F303-B.

PU-1  
PU-2  
H-1  
PB

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| F302          | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 2出2入<br>2 IN / 2 OUT     |
| F303-A        | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 3出3入<br>3 IN / 3 OUT     |
| F303-B        | 3/4"膠管(HOSE)               | 參考左圖<br>REFER TO LEFT PIC     | 3出3入+2<br>3 IN / 3 OUT+2 |
| F304-A        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 4出4入<br>4 IN / 4 OUT     |
| F304-B        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 4出4入+2<br>4 IN / 4 OUT+2 |
| F305-A        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 5出5入<br>5 IN / 5 OUT     |
| F305-B        | 3/4", 1"膠管(HOSE)           | 參考左圖<br>REFER TO LEFT PIC     | 5出5入+2<br>5 IN / 5 OUT+2 |
| F306-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 6出6入<br>6 IN / 6 OUT     |
| F306-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 6出6入+2<br>6 IN / 6 OUT+2 |
| F307-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 7出7入<br>7 IN / 7 OUT     |
| F307-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 7出7入+2<br>7 IN / 7 OUT+2 |
| F308-A        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 8出8入<br>8 IN / 8 OUT     |
| F308-B        | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 8出8入+2<br>8 IN / 8 OUT+2 |
| F3010         | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 10出10入<br>10 IN / 10 OUT |
| F3012         | 1", 1 1/4" 膠管(HOSE)        | 參考左圖<br>REFER TO LEFT PIC     | 12出12入<br>12 IN / 12 OUT |







如需多此2通，請於  
圖型號後面加"B"，  
如圖H203-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO,  
AS SHOWN IN PICTURE  
H203-B.

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| H202          | 3/4"膠管(HOSE)               | 3/8"膠管(HOSE)                  | 2出2入<br>2 IN / 2 OUT     |
| H203-A        | 3/4"膠管(HOSE)               | 3/8"膠管(HOSE)                  | 3出3入<br>3 IN / 3 OUT     |
| H203-B        | 3/4"膠管(HOSE)               | 3/8"膠管(HOSE)                  | 3出3入+2<br>3 IN / 3 OUT+2 |
| H204-A        | 3/4", 1"膠管(HOSE)           | 3/8"膠管(HOSE)                  | 4出4入<br>4 IN / 4 OUT     |
| H204-B        | 3/4", 1"膠管(HOSE)           | 3/8"膠管(HOSE)                  | 4出4入+2<br>4 IN / 4 OUT+2 |
| H205-A        | 3/4", 1"膠管(HOSE)           | 3/8"膠管(HOSE)                  | 5出5入<br>5 IN / 5 OUT     |
| H205-B        | 3/4", 1"膠管(HOSE)           | 3/8"膠管(HOSE)                  | 5出5入+2<br>5 IN / 5 OUT+2 |
| H206-A        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 6出6入<br>6 IN / 6 OUT     |
| H206-B        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 6出6入+2<br>6 IN / 6 OUT+2 |
| H207-A        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 7出7入<br>7 IN / 7 OUT     |
| H207-B        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 7出7入+2<br>7 IN / 7 OUT+2 |
| H208-A        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 8出8入<br>8 IN / 8 OUT     |
| H208-B        | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 8出8入+2<br>8 IN / 8 OUT+2 |
| H2010         | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 10出10入<br>10 IN / 10 OUT |
| H2012         | 1", 1 1/4" 膠管(HOSE)        | 3/8"膠管(HOSE)                  | 12出12入<br>12 IN / 12 OUT |






如需多此2通，請於  
圖型號後面加"B"，  
如圖F203-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO.,  
AS SHOWN IN PICTURE  
F203-B.

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| F202          | 3/4"膠管(HOSE)               | 1/2"膠管(HOSE)                  | 2出2入<br>2 IN / 2 OUT     |
| F203-A        | 3/4"膠管(HOSE)               | 1/2"膠管(HOSE)                  | 3出3入<br>3 IN / 3 OUT     |
| F203-B        | 3/4"膠管(HOSE)               | 1/2"膠管(HOSE)                  | 3出3入+2<br>3 IN / 3 OUT+2 |
| F204-A        | 3/4", 1"膠管(HOSE)           | 1/2"膠管(HOSE)                  | 4出4入<br>4 IN / 4 OUT     |
| F204-B        | 3/4", 1"膠管(HOSE)           | 1/2"膠管(HOSE)                  | 4出4入+2<br>4 IN / 4 OUT+2 |
| F205-A        | 3/4", 1"膠管(HOSE)           | 1/2"膠管(HOSE)                  | 5出5入<br>5 IN / 5 OUT     |
| F205-B        | 3/4", 1"膠管(HOSE)           | 1/2"膠管(HOSE)                  | 5出5入+2<br>5 IN / 5 OUT+2 |
| F206-A        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 6出6入<br>6 IN / 6 OUT     |
| F206-B        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 6出6入+2<br>6 IN / 6 OUT+2 |
| F207-A        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 7出7入<br>7 IN / 7 OUT     |
| F207-B        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 7出7入+2<br>7 IN / 7 OUT+2 |
| F208-A        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 8出8入<br>8 IN / 8 OUT     |
| F208-B        | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 8出8入+2<br>8 IN / 8 OUT+2 |
| F2010         | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 10出10入<br>10 IN / 10 OUT |
| F2012         | 1", 1 1/4" 膠管(HOSE)        | 1/2"膠管(HOSE)                  | 12出12入<br>12 IN / 12 OUT |







如需多此2通，請於  
圖型號後面加"B"，  
如圖H103-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO,  
AS SHOWN IN PICTURE  
H103-B.

AX-3  
AX-4  
AS

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| H102          | 3/4"膠管(HOSE)               | JK201(快速)(QUICK)              | 2出2入<br>2 IN / 2 OUT     |
| H103-A        | 3/4"膠管(HOSE)               | JK201(快速)(QUICK)              | 3出3入<br>3 IN / 3 OUT     |
| H103-B        | 3/4"膠管(HOSE)               | JK201(快速)(QUICK)              | 3出3入+2<br>3 IN / 3 OUT+2 |
| H104-A        | 3/4", 1"膠管(HOSE)           | JK201(快速)(QUICK)              | 4出4入<br>4 IN / 4 OUT     |
| H104-B        | 3/4", 1"膠管(HOSE)           | JK201(快速)(QUICK)              | 4出4入+2<br>4 IN / 4 OUT+2 |
| H105-A        | 3/4", 1"膠管(HOSE)           | JK201(快速)(QUICK)              | 5出5入<br>5 IN / 5 OUT     |
| H105-B        | 3/4", 1"膠管(HOSE)           | JK201(快速)(QUICK)              | 5出5入+2<br>5 IN / 5 OUT+2 |
| H106-A        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 6出6入<br>6 IN / 6 OUT     |
| H106-B        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 6出6入+2<br>6 IN / 6 OUT+2 |
| H107-A        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 7出7入<br>7 IN / 7 OUT     |
| H107-B        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 7出7入+2<br>7 IN / 7 OUT+2 |
| H108-A        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 8出8入<br>8 IN / 8 OUT     |
| H108-B        | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 8出8入+2<br>8 IN / 8 OUT+2 |
| H1010         | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 10出10入<br>10 IN / 10 OUT |
| H1012         | 1", 1 1/4" 膠管(HOSE)        | JK201(快速)(QUICK)              | 12出12入<br>12 IN / 12 OUT |





如需多此2通，請於  
圖型號後面加"B"，  
如圖F103-B

IF NEED ADDITIONAL  
"2" CONNECTORS,  
PLEASE ADD "B" AFTER  
THE MODEL NO.,  
AS SHOWN IN PICTURE  
F103-B.

PX-3  
PX-4  
PS

| 型號<br>ITEM NO | 主流管尺寸<br>MAIN INLET/OUTLET | 支流管接法<br>BRANCH<br>CONNECTING | 流通數目<br>PORTS            |
|---------------|----------------------------|-------------------------------|--------------------------|
| F102          | 3/4"膠管(HOSE)               | BK301(快速)(QUICK)              | 2出2入<br>2 IN / 2 OUT     |
| F103-A        | 3/4"膠管(HOSE)               | BK301(快速)(QUICK)              | 3出3入<br>3 IN / 3 OUT     |
| F103-B        | 3/4"膠管(HOSE)               | BK301(快速)(QUICK)              | 3出3入+2<br>3 IN / 3 OUT+2 |
| F104-A        | 3/4", 1"膠管(HOSE)           | BK301(快速)(QUICK)              | 4出4入<br>4 IN / 4 OUT     |
| F104-B        | 3/4", 1"膠管(HOSE)           | BK301(快速)(QUICK)              | 4出4入+2<br>4 IN / 4 OUT+2 |
| F105-A        | 3/4", 1"膠管(HOSE)           | BK301(快速)(QUICK)              | 5出5入<br>5 IN / 5 OUT     |
| F105-B        | 3/4", 1"膠管(HOSE)           | BK301(快速)(QUICK)              | 5出5入+2<br>5 IN / 5 OUT+2 |
| F106-A        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 6出6入<br>6 IN / 6 OUT     |
| F106-B        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 6出6入+2<br>6 IN / 6 OUT+2 |
| F107-A        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 7出7入<br>7 IN / 7 OUT     |
| F107-B        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 7出7入+2<br>7 IN / 7 OUT+2 |
| F108-A        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 8出8入<br>8 IN / 8 OUT     |
| F108-B        | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 8出8入+2<br>8 IN / 8 OUT+2 |
| F1010         | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 10出10入<br>10 IN / 10 OUT |
| F1012         | 1", 1 1/4" 膠管(HOSE)        | BK301(快速)(QUICK)              | 12出12入<br>10 IN / 10 OUT |





SE-01

ST-02 内外牙(附溫度錶)  
ST-02 Male & Female Thread  
(Thermometer Attached) ▼



▲ SK-02 内外牙(附溫度錶)  
SK-02 Male & Female Thread  
(Thermometer Attached)

▼ ST-01TBL 雙內牙(附螺母)



▼ ST-01TB 内外牙



▼ ST-01TA 雙內牙  
ST-01TA Double Female Thread




▲ SK-01TBL 雙內牙(附螺母)



▲ SK-01TB 内外牙



▲ SK-01TA 雙內牙  
SK-01TA Double Female Thread



| 型號<br>ITEM NO.                                                                                                                              | L (mm) | D (mm) | T1               | T2               | D2               |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|------------------|------------------|------------------|
| ST-01TA                                                                                                                                     | 81     | 25.3   | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 內牙(F) | 圓型<br>(ROUND)    |
| ST-01TB                                                                                                                                     | 85     |        | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 外牙(M) |                  |
| ST-01TB2                                                                                                                                    | 85     |        | 1/4 、3/8PT 外牙(M) | 1/4 、3/8PT 內牙(F) |                  |
| ST-01TBL                                                                                                                                    | 90     |        | 1/8PT 內牙(F)      | M16 外牙(M)        |                  |
| ST-02                                                                                                                                       | 110    |        | 3/8PT 內牙(F)      | 3/8PT 外牙(M)      | 附溫度錶 T           |
| SK-01TA                                                                                                                                     | 81     |        | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 內牙(F) | 六角型<br>(HEXAGON) |
| SK-01TB                                                                                                                                     | 85     |        | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 外牙(M) |                  |
| SK-01TB2                                                                                                                                    | 85     |        | 1/4 、3/8PT 外牙(M) | 1/4 、3/8PT 內牙(F) |                  |
| SK-01TBL                                                                                                                                    | 90     |        | 1/8PT 內牙(F)      | M16 外牙(M)        |                  |
| SK-02                                                                                                                                       | 110    |        | 3/8PT 內牙(F)      | 3/8PT 外牙(M)      | 附溫度錶 T           |
| SE-01TA                                                                                                                                     | 90     | 30     | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 內牙(F) |                  |
| SE-01TB                                                                                                                                     | 95     |        | 1/4 、3/8PT 內牙(F) | 1/4 、3/8PT 外牙(M) |                  |
| SE-01TB2                                                                                                                                    | 95     |        | 1/4 、3/8PT 外牙(M) | 1/4 、3/8PT 內牙(F) |                  |
| 工作壓力(Pressure) : Max 10 kg/cm <sup>2</sup> 溫度(Temp.) : 0 – 80° C ( 水溫 Water )      0 – 120° C ( 油溫 Oil )<br>流量 (Flow rate) : Max 12 L / min |        |        |                  |                  |                  |
| 備註 : F = FEMALE THREAD , M = MALE THREAD , T= THERMOMETER                                                                                   |        |        |                  |                  |                  |





# 流量計

# FLOW METER

適用範圍:油、水  
Application:Oil,Water

## ST-04TBC 內外牙附錶 ▼ 1/2"PT~1"PT

Male and Female Thread (Thermometer attached)



## ST-04TAC 雙內牙附錶 ▼ 1/2"PT~1"PT


Double Female Thread (Thermometer attached)




## ST-04TB 內外牙 ▼ 1/2"PT~1"PT Male and Female Thread



## ST-04TA 雙內牙 ▼ 1/2"PT ~ 1"PT Double Female Thread



-TA



-TAC&TBC

| 型號 ITEM NO.                                                                                            | L (mm) | D (mm) | T1          | T2                   |
|--------------------------------------------------------------------------------------------------------|--------|--------|-------------|----------------------|
| ST-0404TA                                                                                              | 124    | 45     | 1/2PT 內牙(F) | 1/2PT 內牙(F)          |
| ST-0406TA                                                                                              | 124    |        | 3/4PT 內牙(F) | 3/4PT 內牙(F)          |
| ST-0410TA                                                                                              | 124    |        | 1" PT 內牙(F) | 1" PT 內牙(F)          |
| ST-0404TB                                                                                              | 128    |        | 1/2PT 外牙(M) | 1/2PT 內牙(F)          |
| ST-0406TB                                                                                              | 128    |        | 3/4PT 外牙(M) | 3/4PT 內牙(F)          |
| ST-0410TB                                                                                              | 128    |        | 1" PT 外牙(M) | 1" PT 內牙(F)          |
| ST-0404TAC                                                                                             | 138    |        | 1/2PT 內牙(F) | 1/2PT 內牙(F) (附溫度表T)  |
| ST-0406TAC                                                                                             | 138    |        | 3/4PT 內牙(F) | 3/4PT 內牙(F) (附溫度表T)  |
| ST-0410TAC                                                                                             | 138    |        | 1" PT 內牙(F) | 1" PT 內牙(F) (附溫度表T)  |
| ST-0404TBC                                                                                             | 159    |        | 1/2PT 內牙(F) | 1/2PT 外牙(M) (附溫度表 T) |
| ST-0406TBC                                                                                             | 159    |        | 3/4PT 內牙(F) | 3/4PT 外牙(M) (附溫度表 T) |
| ST-0410TBC                                                                                             | 159    |        | 1" PT 內牙(F) | 1" PT 外牙(M) (附溫度表 T) |
| 工作壓力(Pressure) : Max 10 kg/cm <sup>2</sup> 溫度(Temp.) : 0 – 80° C ( 水溫 Water )    0 – 120° C ( 油溫 Oil ) |        |        |             |                      |
| 流量 (Flow rate ) : Max 67 L / min                                                                       |        |        |             |                      |
| 備註 : F = FEMALE THREAD , M = MALE THREAD , T= THERMOMETER                                              |        |        |             |                      |

## 雙閉式鋼製油壓快速接頭

( DOUBLE SHUT-OFF HYDRAULIC QUICK COUPLER )



ISO-A 歐規 (鐵)  
1/4" ~ 1/2"



ISO-B 日規 (銅,白鐵)  
1/4" ~ 1/2"

此規格可接受訂製耐溫300°C或特殊流體專用  
ISO-B is available to customize for  
Max 300°C or special fluid



特製ISO-A歐規 (鐵)  
HK503 & 503HB - 3/8"

不必拆卸原有的傳統街頭,直接套入然後旋緊即可使用,省時省力。





## 專聚實業有限公司

CHUAN CHU INDUSTRIES CORP

台灣台中市南屯區永春東一路788巷12號  
No. 12, Lane 788, Yun-Chuan East 1 Road,  
Nan-Tun District, Taichung City, Taiwan.  
TEL:886-4-23891765 FAX:886-4-23828921  
www.slt.com.tw E-mail:slt@mail.slt.com.tw